

# Dizzie

Design by Lievore Altherr Molina, 2004

---

- Art. 0641** Fenix ? cm 90x108
- Art. 0642** Fenix ? cm 90x108
- Art. 0643** Fenix ? cm 100x182
- Art. 0651** MDF MD cm 100x182
- Art. 0652** MDF MD cm 100x160
- Art. 0653** MDF MD cm 90x108
- Art. 0654** MDF MD cm 90x108
- Art. 0692** Fenix ? cm 100x158
- Art. 0902** MDF MD cm 100x135



Table with oval base in white glossy or black matt powder coated steel, oval top in white embossed MDF (Thick 2,5 cm) or laminate Fenix ? (Thick 2,6 cm). Height 74 cm.



## Dimensions \*

\* File CAD 2D - 3D available for download at



cm. 52 x 40.6  
20 1/2" x 16 1/8"

---

## Frame Base



V12  
glossy

V39  
matt

---

## Top



F01  
Fenix

F02  
Fenix

M02


arper

www.arper.com  
info@arper.com

# Dizzie

Design by Lievore Altherr Molina, 2004

---











Top shape edge

arper

---

## SHIPMENT DETAILS

<b>Art. 0641</b>	1 pz = 2  - kg 39,8/ m <sup>3</sup> 0,351
<b>Art. 0642</b>	1 pz = 2  - kg 40,3/ m <sup>3</sup> 0,351
<b>Art. 0643</b>	1 pz = 3  - kg 83,6/ m <sup>3</sup> 0,852
<b>Art. 0651</b>	1 pz = 3  - kg 83,6/ m <sup>3</sup> 0,852
<b>Art. 0652</b>	1 pz = 3  - kg 79,6/ m <sup>3</sup> 0,831
<b>Art. 0653</b>	1 pz = 2  - kg 42,5/ m <sup>3</sup> 0,351
<b>Art. 0654</b>	1 pz = 2  - kg 49,1/ m <sup>3</sup> 0,351
<b>Art. 0692</b>	1 pz = 3  - kg 79,6/ m <sup>3</sup> 0,831

---

## RESISTANCE TEST

- EN 1730:2002 - EN 15372:2008 6. 2
- EN 1730:2002 - EN 15372:2008 6. 3
- EN 1730:2002 - EN 15372:2008 6. 4
- EN 1730:2002 - EN 15372:2008 6. 5
- EN 1730:2002 - EN 15372:2008 6. 7
- UNI 9115/87
- EN 12720/97 B
- EN 12721/97 B
- EN 12722/97 B
- UNI 9427/89
- UNI 9240/87 MPa 2,3
- UNI 9429/89
- EN 717-2:1994 mgHCHO/(m<sup>2</sup> - h) = 0,6
- ASTM D 3363/05 H
- EN 1730/00 6. 3
- EN 1730/00 6. 5
- EN 1730/00 6. 6
- EN 1730/00 6. 7
- EN 1730/00 6. 8

www.arper.com

info@arper.com

# Dizzie


Design by Lievore Altherr Molina, 2004


---


## SHIPMENT DETAILS


### Art.0902


pz =  - kg / m³


1 pz = 2  - kg 39,8/ m³ 0,351


1 pz = 2  - kg 40,3/ m³ 0,351


1 pz = 3  - kg 83,6/ m³ 0,852

1 pz = 3  - kg 83,6/ m³ 0,852

1 pz = 3  - kg 79,6/ m³ 0,831

1 pz = 2  - kg 42,5/ m³ 0,351

1 pz = 2  - kg 49,1/ m³ 0,351

1 pz = 3  - kg 79,6/ m³ 0,831

## TECHNICAL SPECIFICATIONS

### Art.0651

\*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch

### Art.0652

\*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch

### Art.0653

\*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch

### Art.0654

\*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch

arper

www.arper.com

info@arper.com